



SABA Primer 9102

primer for non-porous substrates

Description

SABA Primer 9102 is a 1-component primer for pre-treating non-porous substrates.

Field of application

The marine, transport, building and industry sectors. SABA Primer 9102 is very suitable for pre-treating non-porous substrates, metal and plastics.

Advantages

- offers excellent adhesion, in combination with SABA sealants, on non-porous substrates such as metal, double-baked tiles and acid-proof, compressed tiles and synthetic materials
- free of isocyanates
- conforms to EN 14188-4

Method of use

For application, see the corresponding info sheets on www.saba.nl

Close the packaging as soon as possible after use; this has a positive effect on the processing properties and the shelf life of the product.

Technical data

Basis	silanes
Viscosity at 23 °C (EN 12092)	approx. 10 mPa.s
Density (EN ISO 2811-2)	approx. 810 kg/m ³
Solids content	approx. 2 %
Flashpoint	approx. 12 °C
Solvents	mixture of alcohols and aromatics
Drying time (minimum)	10 minutes
Open time (maximum)	24 hours
Coverage	approx. 100 g/m ²
Working temperature	min. + 5 °C to max. + 35 °C
Storage temperature	min. + 5 °C to max. + 35 °C
Temperature resistance	min. - 40 °C to max. + 120 °C

Order information

Packaging	can with resealable lid
Contents	1 litre (contains 12 items)
Colour	transparent
Article no.	100331 AAZ
Shelf life	18 months (in unopened packaging)

Other packaging on request. The shelf life may vary for large packaging.

Safety recommendations

For more information about safety, see the relevant SABA safety data sheet.



SABA Dinxperlo BV

Industriestraat 3 NL-7091 DC Dinxperlo PO Box 3 NL-7090 AA Dinxperlo T+31 (0) 315 658999 F+31 (0) 315 653989 E info@saba.nl www.saba.nl



Our recommendations and instructions for use are based on the present status of know-how and technique. Clients and users should evaluate our products by themselves, with regard to utilization and requirements of their own choice. We shall take no responsibility in case our products are not being used subject to our recommendations and/or instructions for use. Furthermore, General Terms and Conditions of SABA Dinxperlo BV, will apply to our recommendations, instructions for use and the delivery of our products.